

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6026410").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/16 19:09
L2	6066	message with pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:54
L3	407	2 with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:24
L4	11	3 with keyword	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:54
L5	162509	"real-time"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:34
L6	116	3 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:34
L7	9908	5 with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:35
L8	116	2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:35

EAST Search History

L9	11	4 and keyword	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:49
L10	18826	(707/2-6,102,103R,104.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/16 19:49
L11	1112	(704/9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/16 19:50
L12	1202	(706/14,45).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/16 19:50
L13	20803	10 or 11 or 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:50
L14	360	13 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:51
L15	105	14 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:51
L16	2663	message near8 classif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:51

EAST Search History

L17	3477	message near8 classif\$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:52
L18	7	15 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:52
L19	884	message with pars\$3.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:54
L20	617	(input with keyword).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:54
L22	5	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/16 19:55


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **collaborative tool input message**

Found 1 of 631 searched out of 631.

Sort results by


[Save results to a Binder](#)

Display results


[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 1 of 1

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Dynamic architectures: Towards dynamic collaboration architectures](#)



Goopeel Chung, Prasun Dewan

November 2004

Proceedings of the 2004 ACM conference on Computer supported cooperative work

Publisher: ACM Press

 Full text available: [pdf\(324.90 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we introduce the concept of dynamically changing between centralized, replicated, and hybrid collaboration architectures. It is implemented by providing users a function that dynamically changes the mapping between user-interface and program components. We decompose the function into more primitive commands that are executed autonomously by individual users. These commands require a mechanism to dynamically replicate user-interface and program components on a user's site. We pr ...

Keywords: ad-hoc collaboration, application sharing, collaboration architecture, latecomers, mobile collaboration

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:


[Adobe Acrobat](#)

[QuickTime](#)

[Windows Media Player](#)

[Real Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **input message parser classification**

Found 25 of 539 searched out of 539.

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)

Display results


[Search Tips](#)
[Try this search in The ACM Guide](#)
☐ Open results in a new window

16,22

Results 1 - 20 of 25

 Result page: [1](#) [2](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [A development toolkit to realize autonomous and interoperable agents](#)



Federico Bergenti, Agostino Poggi

 May 2001 **Proceedings of the fifth international conference on Autonomous agents**

Publisher: ACM Press

Full text available: pdf(207.71 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Autonomy and inter- operability are two characteristics of software agents that are advocating agent technology as an ideal candidate to support next generation of software systems. This paper presents a Java development toolkit supporting the realization of autonomous and inter- operable agents. This toolkit provides the developer with a goal-oriented agent architecture for FIPACompliant agents. Goal- orientation supports autonomy because the developer is no longer requested to describe w ...

Keywords: AUML, FIPA, agent architectures, agent tools, agent-based software engineering, standards for agents

2 [Morphology and the lexicon: The TICC: parsing interesting text](#)



David Allport

 February 1988 **Proceedings of the second conference on Applied natural language processing**

Publisher: Association for Computational Linguistics

Full text available: pdf(665.66 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

[Publisher Site](#)

This paper gives an overview of the natural language problems addressed in the Traffic Information Collator/Condenser (TICC) project, and describes in some detail the "interesting-corner parser" used in the TICC's Natural Language Summariser. The TICC is designed to take free text input describing local traffic incidents, and automatically output local traffic information broadcasts for motorists in appropriate geographical areas. The "interesting-corner parser" uses both syntactic and semantic ...

3 [Human-computer interface development: concepts and systems for its management](#)



H. Rex Hartson, Deborah Hix

 March 1989 **ACM Computing Surveys (CSUR)**, Volume 21 Issue 1

Publisher: ACM Press

Full text available: pdf(7.97 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Human-computer interface management, from a computer science viewpoint, focuses on the process of developing quality human-computer interfaces, including their

representation, design, implementation, execution, evaluation, and maintenance. This survey presents important concepts of interface management: dialogue independence, structural modeling, representation, interactive tools, rapid prototyping, development methodologies, and control structures. *Dialogue independence* is th ...

4 SIGART special issue on machine learning

 April 1981 **ACM SIGART Bulletin**, Issue 76

Publisher: ACM Press

Full text available:  [pdf\(3.33 MB\)](#) Additional Information: [full citation](#), [abstract](#)


Current research on Machine Learning encompasses a diverse set of approaches, and of opinions regarding where the important issues lie. The significant increase of interest and research activity in Machine Learning over the past few years has led us to organize this special issue of SIGART, whose purpose is to provide a snapshot of current research in this field. This issue contains a set of summaries of ongoing research, solicited from the community at large, and received from thirty-five resea ...

5 INC: a language for incremental computations

 Daniel M. Yellin, Robert E. Strom

April 1991 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
Volume 13 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(1.88 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

An incremental computation is one that is performed repeatedly on nearly identical inputs. Incremental computations occur naturally in many environments, such as compilers, language-based editors, spreadsheets, and formatters. This article describes a proposed tool for making it easy to write incremental programs. The tool consists of a programming language, INC, and a set of compile-time transformations for the primitive elements of INC. A programmer defines an algorithm in INC without reg ...

Keywords: dynamic algorithms, finite differencing, incremental complexity, incrementality, static complexity

6 The WarpIV Simulation Kernel

Jeffrey S. Steinman

June 2005 **Proceedings of the 19th Workshop on Principles of Advanced and Distributed Simulation PADS '05**

Publisher: IEEE Computer Society

Full text available:  [pdf\(1.28 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This paper provides an overview of the WarpIV Simulation Kernel that was designed to be an initial implementation of the Standard Simulation Architecture (SSA). WarpIV is the next generation replacement for the Synchronous Parallel Environment for Emulation and Discrete Event Simulation (SPEEDES) framework that has supported a number of DoD simulation programs including MDWAR, EADTB, JSIMS, and others. This paper first provides a look back at the historical evolution of SPEEDES, the evolution of ...

7 Java IO and testing made simple

 Viera K. Proulx, Richard Rasala

March 2004 **ACM SIGCSE Bulletin , Proceedings of the 35th SIGCSE technical symposium on Computer science education SIGCSE '04**, Volume 36 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(99.73 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present software tools that support robust input processing and comprehensive testing in Java. The software includes the JPT library that supports error-checked typed input via console or GUI for all primitive types. This provides a robust encapsulation of typical interactive input requests encountered in introductory programming courses. The

Java Power Framework and its extension allow the user to develop a comprehensive test suite independent of the target classes. The type-safe input framew ...

Keywords: CS 1/2, courseware, curriculum issues, object-oriented issues

8 Systems: University of Pennsylvania: description of the University of Pennsylvania system used for MUC-6 

Breck Baldwin, Mike Collins, Jason Eisner, Adwait Ratnaparkhi, Joseph Rosenzweig, Anoop Sarkar


November 1993 **Proceedings of the 6th conference on Message understanding MUC6 '95**

Publisher: Association for Computational Linguistics

Full text available:  pdf(1.07 MB) Additional Information: [full citation](#), [abstract](#), [references](#)

Breck Baldwin and Jeff Reynar informally began the University of Pennsylvania's MUC-6 coreference effort in January of 1995. For the first few months, tools were built and the system was extended at weekly 'hack sessions.' As more people began attending these meetings and contributing to the project, it grew to include eight graduate students. While the effort was still informal, Mark Wasson, from Lexis-Nexis, became an advisor to the project. In July, the students proposed to the faculty that w ...

9 Authoring tools & systems: A novel method for supporting collaborative interaction management in Web-based CVE 

 Qingping Lin, Weihua Wang, Liang Zhang, Tian Fook Choo

October 2003 **Proceedings of the ACM symposium on Virtual reality software and technology**

Publisher: ACM Press

Full text available:  pdf(178.77 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

The capabilities of Virtual Reality Modeling Language (VRML)/Extensible 3D (X3D) permit building collaborative virtual environments (CVE) using the Internet and the World Wide Web. However, they do not provide a multi-user collaborative interaction management mechanism for CVE applications except the External Authoring Interface that allows communication between external program and VRML browser. The authors of such applications must manage the interactions among the interactive entities by them ...

Keywords: collaborative behavior description language, collaborative role, collaborative virtual environment, interaction management

10 Modelling and simulation: Emulation of an unconventional model of computation in Java 

Aidan Delaney, Thomas J. Naughton

June 2002 **Proceedings of the inaugural conference on the Principles and Practice of programming, 2002 and Proceedings of the second workshop on Intermediate representation engineering for virtual machines, 2002 PPPJ '02/IRE '02**

Publisher: National University of Ireland

Full text available:  pdf(464.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes the emulation of an unconventional model of computation inspired by the field of optical computing. Our development employed a combination of eXtreme Programming, unit and integration testing with junit, and design patterns. In the final product we implemented a novel content-routing message passing system and have realised the first debugger for an optical computer programming language.

11 Intrusion detection and prevention: Fast and automated generation of attack signatures: a basis for building self-protecting servers 

 Zhenkai Liang, R. Sekar

November 2005 **Proceedings of the 12th ACM conference on Computer and communications security CCS '05**

Publisher: ACM Press

Full text available:  pdf(180.09 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Large-scale attacks, such as those launched by worms and zombie farms, pose a serious threat to our network-centric society. Existing approaches such as software patches are simply unable to cope with the volume and speed with which new vulnerabilities are being discovered. In this paper, we develop a new approach that can provide effective protection against a vast majority of these attacks that exploit memory errors in C/C++ programs. Our approach, called COVERS, uses a forensic analysis of a ...

Keywords: buffer overflow, denial-of-service protection, memory error, signature generation, worm defense

12 Recovery guarantees for Internet applications



Roger Barga, David Lomet, German Shegalov, Gerhard Weikum

August 2004 **ACM Transactions on Internet Technology (TOIT)**, Volume 4 Issue 3

Publisher: ACM Press

Full text available:  pdf(997.52 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Internet-based e-services require application developers to deal explicitly with failures of the underlying software components, for example web servers, servlets, browser sessions, and so forth. This complicates application programming, and may expose failures to end users. This paper presents a framework for an application-independent infrastructure that provides recovery guarantees and masks almost all system failures, thus relieving the application programmer from having to deal with these f ...

Keywords: Exactly-once execution, application recovery, communication protocols, interaction contracts

13 Other contributed papers: Computational aspects of discourse in the context of MUC-3

Lucja Iwańska, Douglas Appelt, Damaris Ayuso, Kathy Dahlgren, Bonnie Glover Stalls, Ralph Grishman, George Krupka, Christine Montgomery, Ellen Riloff

May 1991 **Proceedings of the 3rd conference on Message understanding MUC3 '91**

Publisher: Association for Computational Linguistics

Full text available:  pdf(2.07 MB) Additional Information: [full citation](#), [abstract](#), [references](#)

Discourse comprises those phenomena that usually do not arise when processing a single sentence. It appears to be the most difficult and probably the least understood aspect of automated message understanding. Five out of fifteen sites on a MUC-3 survey listed discourse as their main weakness and an area in which to concentrate future research. Virtually all systems presented here take a sentence-by-sentence approach to text understanding. Parsing and domain-dependent interpretation of sentences ...


14 DART: directed automated random testing



Patrice Godefroid, Nils Klarlund, Koushik Sen

June 2005 **ACM SIGPLAN Notices , Proceedings of the 2005 ACM SIGPLAN conference on Programming language design and implementation PLDI '05**, Volume 40 Issue 6

Publisher: ACM Press

Full text available:  pdf(163.84 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a new tool, named DART, for automatically testing software that combines three main techniques: (1) *automated* extraction of the interface of a program with its external environment using static source-code parsing; (2) automatic generation of a test driver for this interface that performs *random* testing to simulate the most general

environment the program can operate in; and (3) dynamic analysis of how the program behaves under random testing and automatic generation of ...

Keywords: automated test generation, interfaces, program verification, random testing, software testing

15 Enhanced word-based block-sorting text compression

R. Yugo Kartono Isal, Alistair Moffat, Alwin C. H. Ngai

January 2002 **Australian Computer Science Communications , Proceedings of the twenty-fifth Australasian conference on Computer science - Volume 4 CRPITS '02**, Volume 24 Issue 1

Publisher: Australian Computer Society, Inc. , IEEE Computer Society Press

Full text available:  [pdf\(975.97 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Block Sorting process of Burrows and Wheeler can be applied to any sequence in which symbols are (or might be) conditioned upon each other. In particular, it is possible to parse text into a stream of words, and then employ block sorting to identify and so exploit any conditioning relationships between words. In this paper we build upon the previous work of two of the authors, describing several further recency rank transformations, and considering also the role of the entropy coder. By comb ...

Keywords: arithmetic coding, burrows wheeler, recency ranking, text compression, transformation, word-based modelling

16 Natural language dialogue service for appointment scheduling agents

Stephan Busemann, Thierry Declerck, Abdel Kader Diagne, Luca Dini, Judith Klein, Sven Schmeier

March 1997 **Proceedings of the fifth conference on Applied natural language processing**

Publisher: Morgan Kaufmann Publishers Inc.

Full text available:  [pdf\(905.48 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
 [Publisher Site](#)


Appointment scheduling is a problem faced daily by many individuals and organizations. Cooperating agent systems have been developed to partially automate this task. In order to extend the circle of participants as far as possible we advocate the use of natural language transmitted by email. We describe COSMA, a fully implemented German language server for existing appointment scheduling agent systems. COSMA can cope with multiple dialogues in parallel, and accounts for differences in dialogue b ...

17 Special issue on natural language generation: Generating natural language summaries from multiple on-line sources

Dragomir R. Radev, Kathleen R. McKeown

September 1998 **Computational Linguistics**, Volume 24 Issue 3

Publisher: MIT Press

Full text available:  [pdf\(2.36 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
 [Publisher Site](#)

We present a methodology for summarization of news about current events in the form of briefings that include appropriate background (historical) information. The system that we developed, SUMMONS, uses the output of systems developed for the DARPA Message Understanding Conferences to generate summaries of multiple documents on the same or related events, presenting similarities and differences, contradictions, and generalizations among sources of information. We describe the various components ...

18 Multidatabase systems: Engineering an SQL gateway to IMS

G. N. Paulley

October 1993 **Proceedings of the 1993 conference of the Centre for Advanced Studies on Collaborative research: distributed computing - Volume 2**

Publisher: IBM Press

Full text available:  pdf(1.18 MB) Additional Information: [full citation](#), [abstract](#), [references](#)

Multidatabase systems enable organizations to integrate legacy database systems, and their applications, with newer database technology. One such legacy system is IBM'S Information Management System (IMS), a hierarchical database management system developed in the 1960s. Commercial IMS gateways typically suffer from poor performance and lack essential features needed to support updates. In this paper, we outline the engineering issues of constructing a multi-user IMS gateway that supports both c ...

19 System descriptions: BBN: description of the PLUM system as used for MUC-3

Ralph Weischedel, Damaris Ayuso, Sean Boisen, Robert Ingria, Jeff Palmucci

May 1991 **Proceedings of the 3rd conference on Message understanding MUC3 '91**

Publisher: Association for Computational Linguistics

Full text available:  pdf(447.52 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Traditional approaches to the problem of extracting data from texts have emphasized handcrafted linguistic knowledge. In contrast, BBN's **PLUM** system (**P**robabilistic **L**anguage **U**nderstanding **M**odel) was developed as part of a DARPA-funded research effort on integrating probabilistic language models with more traditional linguistic techniques. Our research and development goals are• more rapid development of new applications,• the ability to train (and re-t ...

20 Proceedings of a conference on Application Development Systems, Santa Clara, California, March 10-11, 1980: USAGE: generating interactive application programs from grammatical descriptions

O. P. Bertrand, J. J. Daudenarde

January 1980 **ACM SIGMIS Database**, Volume 11 Issue 3

Publisher: ACM Press

Full text available:  pdf(606.14 KB) Additional Information: [full citation](#), [references](#)

Results 1 - 20 of 25

Result page: [1](#) [2](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **input message parser classification**

Found 25 of 539

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 21 - 25 of 25

Result page: [previous](#) [1](#) [2](#)Relevance scale ☐ ☐ ☐ ☐ ☐

21 [Session III: A linear-time model of language production: some psychological implications](#)

David D. McDonald

 June 1980 **Proceedings of the 18th annual meeting on Association for Computational Linguistics**
Publisher: Association for Computational Linguistics

 Full text available: [pdf\(180.03 KB\)](#)

[Publisher Site](#)

 Additional Information: [full citation](#), [references](#)

22 [Information extraction](#)



Jim Cowie, Wendy Lehnert

 January 1996 **Communications of the ACM**, Volume 39 Issue 1

Publisher: ACM Press

 Full text available: [pdf\(645.77 KB\)](#)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

23 [Fault tolerance: Experience and prospects for various control strategies for self-replicating multi-agent systems](#)



J.-P. Briot, Z. Guessoum, S. Aknine, A. L. Almeida, J. Malenfant, O. Marin, P. Sens, N. Faci, M. Gatti, C. Lucena

 May 2006 **Proceedings of the 2006 international workshop on Self-adaptation and self-managing systems SEAMS '06**
Publisher: ACM Press

 Full text available: [pdf\(262.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Distributed cooperative applications (e.g., e-commerce) are now increasingly being designed as a set of autonomous entities, named agents, which interact and coordinate (thus named a multi-agent system). Such applications are often very dynamic: new agents can join or leave, they can change roles, strategies, etc. This high dynamism creates new challenges to the traditional approaches of fault-tolerance. As relative importance of agents may evolve during the course of computation and problem sol ...

Keywords: adaptive, agent, control, criticality, dependability, dependence, estimation, fault-tolerance, multi-agent system, norm, plan, replication, role, strategy

24

[Adding liveness properties to coupled finite-state machines](#)



S. Aggarwal, C. Courcoubetis, P. Wolper

April 1990 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,

Volume 12 Issue 2

Publisher: ACM Press

Full text available: pdf(2.25 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Informal specifications of protocols are often imprecise and incomplete and are usually not sufficient to ensure the correctness of even very simple protocols. Consequently, formal specification methods, such as finite-state models, are increasingly being used. The selection/resolution (S/R) model is a finite-state model with a powerful communication mechanism that makes it easy to describe complex protocols as a collection of simple finite-state machines. A software environment, called SPA ...

25 [Using active data in a UIMS](#)

Tyson R. Henry, Scott E. Hudson

January 1988 **Proceedings of the 1st annual ACM SIGGRAPH symposium on User Interface Software****Publisher:** ACM Press

Full text available: pdf(1.09 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

An active data model is one that not only stores data, but also acts upon changes to the data in ways that reflect application domain semantics. This paper introduces an active object-oriented model based on incremental attribute evaluation (one-way constraints) and discusses how it can be used to support a number of tasks in a User Interface Management System. It is shown how this model can provide unified support for lexical, syntactic, and semantic feedback, how the model supports the sp ...

Results 21 - 25 of 25

Result page: [previous](#) [1](#) [2](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "((('collaborative tool')<in>metadata))"

Your search matched 22 of 1373978 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

[Search](#) ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Challenges to collaborative tool adoption in a manufacturing engineering setting: a case study**
Wierba, E.E.; Finholt, T.A.; Steves, M.P.;
[System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii International Conference on](#)
7-10 Jan 2002 Page(s):3594 - 3603
[AbstractPlus](#) | Full Text: [PDF](#)(283 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Analyzing groupware design by means of usability results**
Antunes, P.; Borges, M.R.S.; Pino, J.A.; Carrico, L.;
[Computer Supported Cooperative Work in Design, 2005. Proceedings of the Ninth International Conference on](#)
Volume 1, 24-26 May 2005 Page(s):283 - 288 Vol. 1
[AbstractPlus](#) | Full Text: [PDF](#)(357 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **A logical model for coordination rule classes in collaborative sessions**
Espinosa, J.M.M.; Franchon, J.; Drira, K.;
[Enabling Technologies: Infrastructure for Collaborative Enterprises, 2003. WET ICE 2003. Proceedings. Twelfth IEEE International Workshops on](#)
9-11 June 2003 Page(s):65 - 70
[AbstractPlus](#) | Full Text: [PDF](#)(351 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Collaborative end-user computing with snowball**
Ersavas, T.;
[Creating, Connecting and Collaborating Through Computing, 2003. C5 2003. Proceedings. First Conference on](#)
31 Jan. 2003 Page(s):22 - 29
[AbstractPlus](#) | Full Text: [PDF](#)(437 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **A fuzzy logic evaluating system to support Web-based collaboration using collaborative and metacognitive data**
Hadjileontiadou, S.J.; Nikolaidou, G.N.; Hadjileontiadis, L.J.; Balafoutas, G.N.;
[Advanced Learning Technologies, 2003. Proceedings. The 3rd IEEE International Conference on](#)
9-11 July 2003 Page(s):96 - 100
[AbstractPlus](#) | Full Text: [PDF](#)(257 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. SIMnet-a collaborative tool for metrology in the Americas**
Filipski, P.S.; Oldham, N.M.;
[Instrumentation and Measurement Technology Conference, 1999. IMTC/99. Proceedings of the 16th IEEE](#)
Volume 2, 24-26 May 1999 Page(s):623 - 625 vol.2
Digital Object Identifier 10.1109/IMTC.1999.776434
[AbstractPlus](#) | [Full Text: PDF\(392 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. Analyzing Requirements for and Designing a Collaborative Tool based on Functional and User Input**
Curtis, C.; Whited, V.; Kancler, D.; Burneka, C.;
[Collaborative Technologies and Systems, 2006. CTS 2006. International Symposium on 14-17 May 2006](#) Page(s):220 - 225
Digital Object Identifier 10.1109/CTS.2006.17
[AbstractPlus](#) | [Full Text: PDF\(70 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. Validation results of a self-maintained cardiology collaborative tool**
del Hoyo-Barbolla, E.; Conde, E.; Arredondo, M.T.; Villalba, E.; Martinez-Selles, M.; Mene, M.I.;
[Computers in Cardiology, 2005](#)
Sept. 25-28, 2005 Page(s):239 - 242
[AbstractPlus](#) | [Full Text: PDF\(206 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. The javarank decision support tool and the benefits and challenges of converting an existing desktop application into a distributed collaborative tool**
Cox, T.; Reaper, J.;
[Collaborative Technologies and Systems, 2005. Proceedings of the 2005 International Symposium on](#)
May 15-20, 2005 Page(s):388 - 398
Digital Object Identifier 10.1109/ISCST.2005.1553339
[AbstractPlus](#) | [Full Text: PDF\(3081 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. Web-based collaborative 3D information visualization tool**
Meiguins, B.S.; de Souza Junior, R.D.; de Brito Garcia, M.; Goncalves, A.S.;
[Information Visualisation, 2004. IV 2004. Proceedings. Eighth International Conference on 14-16 July 2004](#) Page(s):925 - 929
Digital Object Identifier 10.1109/IV.2004.1320252
[AbstractPlus](#) | [Full Text: PDF\(699 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. A road map on human-human interaction and fine-function collaboration in collaborative integrated design environments**
Fazhi He; Soonhung Han; Shaomei Wang; Guozheng Sun;
[Computer Supported Cooperative Work in Design, 2004. Proceedings. The 8th International Conference on](#)
Volume 1, 26-28 May 2004 Page(s):59 - 65 Vol.1
[AbstractPlus](#) | [Full Text: PDF\(820 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. A multi-modal coordination service model for cooperative distributed systems engineering**
Espinosa, J.M.M.; Drira, K.;
[Systems, Man and Cybernetics, 2002 IEEE International Conference on](#)
Volume 6, 6-9 Oct. 2002 Page(s):6 pp. vol.6
[AbstractPlus](#) | [Full Text: PDF\(451 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. GroupGraph: a collaborative hierarchical graph editor based on the Internet**
Lima Filho, H.A.S.; Hirata, C.M.;

Simulation Symposium, 2002. Proceedings. 35th Annual
14-18 April 2002 Page(s):182 - 189

[AbstractPlus](#) | Full Text: [PDF\(314 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. Interactive Java graphics of network-distributed in situ data sets in a collaborative tool environment**
Denbo, D.W.; Windsor, C.R.;
OCEANS '99 MTS/IEEE. Riding the Crest into the 21st Century
Volume 2, 13-16 Sept. 1999 Page(s):1076 - 1079 vol.2
Digital Object Identifier 10.1109/OCEANS.1999.805914
[AbstractPlus](#) | Full Text: [PDF\(532 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **15. The Scientific Graphics Toolkit**
Denbo, D.W.;
OCEANS '99 MTS/IEEE. Riding the Crest into the 21st Century
Volume 1, 13-16 Sept. 1999 Page(s):470 - 473 vol.1
Digital Object Identifier 10.1109/OCEANS.1999.799789
[AbstractPlus](#) | Full Text: [PDF\(284 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. Creating hybrid distributed learning environments by implementing distributed collaborative writing in traditional educational settings**
Lowry, P.B.; Nunamaker, J.F., Jr.; Booker, Q.E.; Curtis, A.; Lowry, M.R.;
Professional Communication, IEEE Transactions on
Volume 47, Issue 3, Sept. 2004 Page(s):171 - 189
Digital Object Identifier 10.1109/TPC.2004.833689
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(904 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. Developing collaborative tools to promote communication and active learning in academia**
Frees, S.; Kessler, G.D.;
Frontiers in Education, 2004. FIE 2004. 34th Annual
2004 Page(s):S3B - 20-5 Vol. 3
Digital Object Identifier 10.1109/FIE.2004.1408756
[AbstractPlus](#) | Full Text: [PDF\(740 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. Towards a common foundation for Web-based collaboration**
Tomek, I.;
Database and Expert Systems Applications, 2003. Proceedings. 14th International Workshop on
1-5 Sept. 2003 Page(s):261 - 265
Digital Object Identifier 10.1109/DEXA.2003.1232033
[AbstractPlus](#) | Full Text: [PDF\(202 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. Assessing collaborative tools from an information-processing perspective: identification of value-added processes**
Bouthillier, F.; Shearer, K.;
Enabling Technologies: Infrastructure for Collaborative Enterprises, 2003. WET ICE 2003. Proceedings. Twelfth IEEE International Workshops on
9-11 June 2003 Page(s):142 - 147
[AbstractPlus](#) | Full Text: [PDF\(218 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **20. ContactPoint: helping large organizations collaborate**
Brodie, C.; Touma, M.; Wolf, C.;
Applications and the Internet (SAINT) Workshops, 2002. Proceedings. 2002 Symposium on
28 Jan.-1 Feb. 2002 Page(s):51 - 58
Digital Object Identifier 10.1109/SAINTW.2002.994554
[AbstractPlus](#) | Full Text: [PDF\(406 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- ☐ **21. Synchronous, distributed collaborative writing for policy agenda setting using Collaboratus, an Internet-based collaboration tool**
Lowry, P.B.; Nunamaker, J.F., Jr.;
[System Sciences, 2002. HICSS. Proceedings of the 35th Annual Hawaii International Conference on](#)
7-10 Jan 2002 Page(s):10 pp.
[AbstractPlus](#) | Full Text: [PDF\(867 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **22. CoID SPA: a tool for collaborative process model development**
Lee, J.D.; Hickey, A.M.; Dongsong Zhang; Santanen, E.; Lina Zhou;
[System Sciences, 2000. Proceedings of the 33rd Annual Hawaii International Conference on](#)
Jan 4-7 2000 Page(s):10 pp. vol.1
[AbstractPlus](#) | Full Text: [PDF\(180 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(input message<in>metadata)"

Your search matched 26 of 1373978 documents.

A maximum of 26 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☐ e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(input message<in>metadata)

Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

view selected items

[Select All](#) [Deselect All](#)

1-25 | 26-26

- ☐ 1. **Performance analysis of a C² system**
 Lageman, J.A.; Strigle, J.P.;
[Military Communications Conference, 1989. MILCOM '89. Conference Record. 'Bridging the Gap. Interoperability, Survivability, Security', 1989 IEEE](#)
 15-18 Oct. 1989 Page(s):916 - 922 vol.3
 Digital Object Identifier 10.1109/MILCOM.1989.104053
[AbstractPlus](#) | Full Text: [PDF\(404 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **An ontology search engine based on semantic analysis**
 Mingxia Gao; Chunnian Liu; Furong Chen;
[Information Technology and Applications, 2005. ICITA 2005. Third International Conference on](#)
 Volume 1, 4-7 July 2005 Page(s):256 - 259 vol.1
 Digital Object Identifier 10.1109/ICITA.2005.68
[AbstractPlus](#) | Full Text: [PDF\(112 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Error performance analysis for narrow-band duobinary FM with discriminator detection and soft decision decoding**
 Tjhung, T.T.; Tan, K.J.; Ho, L.K.;
[Communications, IEEE Transactions on](#)
 Volume 37, Issue 11, Nov. 1989 Page(s):1222 - 1228
 Digital Object Identifier 10.1109/26.46517
[AbstractPlus](#) | Full Text: [PDF\(484 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **The error probability, entropy, and equivocation when the number of input messages increases**
 Rukhin, A.L.; Vajda, I.;
[Information Theory, IEEE Transactions on](#)
 Volume 42, Issue 6, Part 2, Nov. 1996 Page(s):2228 - 2231
 Digital Object Identifier 10.1109/18.556611
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(380 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **The chaotizer-dechaotizer-channel**
 Bohme, F.; Schwarz, W.;
[Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on \[see also Circuits and Systems I: Regular Papers, IEEE Transactions on\]](#)
 Volume 43, Issue 7, July 1996 Page(s):596 - 599
 Digital Object Identifier 10.1109/81.508181
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(304 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **6. On-line adaptive canonical prefix coding with bounded compression loss**
Turpin, A.; Moffat, A.;
[Information Theory, IEEE Transactions on](#)
Volume 47, Issue 1, Jan. 2001 Page(s):88 - 98
Digital Object Identifier 10.1109/18.904514

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(256 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. The performance analysis of polarization shift keying optical communication system with differential 4-quadrature scheme**
Kuen-Suey Hou; Jingshown Wu;
[Global Telecommunications Conference, 1999. GLOBECOM '99](#)
Volume 1B, 1999 Page(s):686 - 690 vol. 1b
Digital Object Identifier 10.1109/GLOCOM.1999.830147

[AbstractPlus](#) | Full Text: [PDF\(292 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. A class of F-ary convolutional codes for finite state ISI channels**
Chan-Kyung Park; Welch, L.R.;
[Military Communications Conference, 1998. MILCOM 98. Proceedings., IEEE](#)
Volume 1, 18-21 Oct. 1998 Page(s):123 - 127 vol.1
Digital Object Identifier 10.1109/MILCOM.1998.722557

[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. Observation inaccuracy in conformance testing with multiple testers**
Yu-Chiou Young; Kuo-Chung Tai;
[Application-Specific Software Engineering Technology, 1998. ASSET-98. Proceedings. 1998 IEEE Workshop on](#)
26-28 March 1998 Page(s):80 - 85
Digital Object Identifier 10.1109/ASSET.1998.688238

[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. Improving LZFG data compression algorithm**
Jianmin Jiang;
[Data Compression Conference, 1995. DCC '95. Proceedings](#)
28-30 March 1995 Page(s):475
Digital Object Identifier 10.1109/DCC.1995.515585

[AbstractPlus](#) | Full Text: [PDF\(72 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. Demultiplexing Considerations for Statistical Multiplexors**
Chu, W.;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#)
Volume 20, Issue 3, Part 2, Jun 1972 Page(s):603 - 609

[AbstractPlus](#) | Full Text: [PDF\(608 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **12. A General Spectral Analysis of Time Jitter Produced in a Regenerative Repeater**
Cariolaro, G.; Todero, F.;
[Communications, IEEE Transactions on \[legacy, pre - 1988\]](#)
Volume 25, Issue 4, Apr 1977 Page(s):417 - 426

[AbstractPlus](#) | Full Text: [PDF\(856 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **13. Two topics on linear unequal error protection codes: Bounds on their length and cyclic code classes**
van Gils, W.;
[Information Theory, IEEE Transactions on](#)

Volume 29, Issue 6, Nov 1983 Page(s):866 - 876

[AbstractPlus](#) | [Full Text: PDF\(1576 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ **14. Decentralized control in packet switched satellite communication**
Varaiya, P.; Walrand, J.;
[Automatic Control, IEEE Transactions on](#)
Volume 24, Issue 5, Oct 1979 Page(s):794 - 796
[AbstractPlus](#) | [Full Text: PDF\(248 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **15. Optimal decentralized control in a multiaccess channel with partial information**
Rosberg, Z.;
[Automatic Control, IEEE Transactions on](#)
Volume 28, Issue 2, Feb 1983 Page(s):187 - 193
[AbstractPlus](#) | [Full Text: PDF\(584 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **16. Coding for a degraded memory under a partial modification of records**
Poltyrev, G.;
[Information Theory, IEEE Transactions on](#)
Volume 38, Issue 2, Part 2, March 1992 Page(s):473 - 477
Digital Object Identifier 10.1109/18.119706
[AbstractPlus](#) | [Full Text: PDF\(384 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. Soft decision output decoding (SONNA) algorithm for convolutional codes based on artificial neural networks**
Berber, S.M.;
[Intelligent Systems, 2004. Proceedings. 2004 2nd International IEEE Conference](#)
Volume 2, 22-24 June 2004 Page(s):530 - 534 Vol.2
Digital Object Identifier 10.1109/IS.2004.1344806
[AbstractPlus](#) | [Full Text: PDF\(409 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. Web service composition through declarative queries: the case of conjunctive queries with union and negation**
Ludascher, B.; Nash, A.;
[Data Engineering, 2004. Proceedings. 20th International Conference on](#)
30 March-2 April 2004 Page(s):840
Digital Object Identifier 10.1109/ICDE.2004.1320070
[AbstractPlus](#) | [Full Text: PDF\(228 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **19. FPGA implementation of MD5 hash algorithm**
Deepakumara, J.; Heys, H.M.; Venkatesan, R.;
[Electrical and Computer Engineering, 2001. Canadian Conference on](#)
Volume 2, 13-16 May 2001 Page(s):919 - 924 vol.2
Digital Object Identifier 10.1109/CCECE.2001.933564
[AbstractPlus](#) | [Full Text: PDF\(372 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **20. Word-based block-sorting text compression**
Isal, R.Y.K.; Moffat, A.;
[Computer Science Conference, 2001. ACSC 2001. Proceedings. 24th Australasian](#)
29 Jan-4 Feb 2001 Page(s):92 - 99
Digital Object Identifier 10.1109/ACSC.2001.906628
[AbstractPlus](#) | [Full Text: PDF\(684 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **21. A novel suite of tests for evaluating one-way hash functions for electronic commerce applications**

Karras, D.A.; Zorkadis, V.;
[Euromicro Conference, 2000. Proceedings of the 26th](#)
Volume 2, 5-7 Sept. 2000 Page(s):464 - 468 vol.2
Digital Object Identifier 10.1109/EURMIC.2000.874532
[AbstractPlus](#) | [Full Text: PDF\(380 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **22. Nonlinear H_∞ synchronization: case study for a hyperchaotic system**
Suykens, J.A.K.; Vandewalle, J.; Chua, L.O.;
[Circuits and Systems, 1998. ISCAS '98. Proceedings of the 1998 IEEE International Symposium on](#)
Volume 4, 31 May-3 June 1998 Page(s):572 - 575 vol.4
Digital Object Identifier 10.1109/ISCAS.1998.698999
[AbstractPlus](#) | [Full Text: PDF\(292 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **23. Formal validation of virtual finite state machines**
Flora-Holmquist, A.R.; Staskauskas, M.G.;
[Industrial-Strength Formal Specification Techniques, 1995. Proceedings.. Workshop on](#)
5-8 April 1995 Page(s):122 - 129
Digital Object Identifier 10.1109/WIFT.1995.515484
[AbstractPlus](#) | [Full Text: PDF\(676 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **24. Universal detection of messages via finite-state channels**
Merhav, N.;
[Information Theory, IEEE Transactions on](#)
Volume 46, Issue 6, Sept. 2000 Page(s):2242 - 2246
Digital Object Identifier 10.1109/18.868498
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(208 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **25. Universal detection of messages via finite-state channels**
Merhav, N.;
[Electrical and EElectronic Engineers in Israel, 2000. The 21st IEEE Convention of the](#)
11-12 April 2000 Page(s):357 - 360
Digital Object Identifier 10.1109/EEEI.2000.924427
[AbstractPlus](#) | [Full Text: PDF\(152 KB\)](#) IEEE CNF
[Rights and Permissions](#)

1-25 | [26-26](#)



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(input message<in>metadata)"

Your search matched **26** of **1373978** documents.A maximum of **26** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.
[e-mail](#) [printer friendly](#)

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(input message<in>metadata)

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)[Select All](#) [Deselect All](#)[1-25](#) | [26-26](#)

- ☐ **26. Efficient approximate adaptive coding**
 Turpin, A.; Moffat, A.;
[Data Compression Conference, 1997. DCC '97. Proceedings](#)
 25-27 March 1997 Page(s):357 - 366
 Digital Object Identifier 10.1109/DCC.1997.582059
[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) IEEE CNF
[Rights and Permissions](#)

[1-25](#) | [26-26](#)
 Indexed by
[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved